

Released Fountain Solutions

manroland AG – Commercial Presses

17 Feb 2010

The list of approved media is a positive list and a living document which is updated at regular intervals. The procedure is based on a SOP and model systems are used to estimate the material compatibility. Results are based on a SOP for material resistance/corrosive potential and performed by a reference institute or self testing. The SOP's can be downloaded at <http://www.fogra.org>

- **Plastic Part Testing**, includes an additional test with typical plastic parts used in the printing unit and rubber coverings of ink and dampening rollers. Founts which passed this test successfully are marked by a green indicator in this column.
- If the tests are not yet completed, the founts are marked by a yellow indicator in this column.
- If no plastic part test is in progress or a successful test was not submitted to our office the mentioned area in the form is not marked.
- After a successful introduction of the plastic part test in 01/2006 all new installed presses/orders since 01/2007 are obliged to run a fount that fulfills both, the corrosion and the plastic part criteria. In general we recommend our customers to use fountain solutions which fulfil both, the corrosion and the plastic part criteria to ensure the balance between performance and protection of the printing system.

Manufacturer	Product name	Comment/status	Plastic Part Testing ⁺
ABC Chemical Company	News Fount	approved	
ABC/Allied Pressroom Products (China) Ltd.	News Fount	approved	
Actega Kelstar Inc.	Starfount WP-1101	approved	
Agfa Graphics	Prima FS 909	approved	
Allied Pressroom Products	News Fount	approved	
Amra Waterline AG	Amracid Heatset alfree	approved	
Anchor Pressroom Products	Emerald 4350 Q7	approved	
Anchor Pressroom Products	Emerald 5100	approved	
Anchor Pressroom Products	Emerald 5150	approved	
Anchor Pressroom Products	Emerald Premium 5501	approved	
Anchor Pressroom Products	Emerald Premium 5510	approved	
Anchor Pressroom Products	Emerald Premium 5520	approved	
Anchor Pressroom Products	Emerald Premium 5540	approved	
Anchor	Emerald Premium 5560	approved	
Atece Graphic Products	Tenacid 3031 CIC	approved	
Atece Graphic Products b.v.	TenCaCid 4250 DA-IQ	approved	
Baco Chemical Services Ltd.	Baco Fount W 32 i	approved	
BASF Drucksysteme GmbH	Hydrofast 9040 VD 5855ci	approved	
BASF Drucksysteme GmbH	Hydrofast 9040 VD 5917ci	approved	
BASF Drucksysteme GmbH	Hydrofast 9040 VD 5916ci	approved	
BASF Drucksysteme GmbH	Hydrofast 9040 VD 5921ci	approved	
BluePrint Products NV	BlueFount HC 310	approved	
BluePrint Products NV	BlueFount HI 351	approved	
BluePrint Products NV	BlueFount HI 352	approved	
Bousfield B. V.	Dynacol 365	approved	
Bousfield B. V.	Dynacol AC 310	approved	
Bousfield B. V.	Dynacol AC 310 S	approved	
Bousfield B. V.	Dynacol DP 04026	approved	
Bousfield B. V.	Dynafount 498 CI	approved	
Bousfield B. V.	Winfount HSAR1-C	approved	
Bousfield B. V.	Winfount HSCI	approved	
Bousfield B. V.	WinSprint 2010-C	approved	
Bousfield B. V.	WinSprint 2010-C H	approved	
Bousfield B. V.	WinSprint 2010-C S	approved	
Brenntag CEE GmbH	Top-Fount HS/KR 8000	approved	
Chemtec Solutions Ltd.	Velociter Fount Solution	approved	
CSFI	Webecol	approved	
C & W Pressroom Products	Safe CFM AR	approved	

Gebrauch, Nachdruck und Vervielfältigung dieser Zeichnung/dieses Schriftstückes nur mit Genehmigung von manroland gestattet.
No part of this drwg./document may be used, reproduced or duplicated without prior permission of manroland

Released Fountain Solutions

manroland AG – Commercial Presses

17 Feb 2010

Manufacturer	Product name	Comment/status	Plastic Part Testing ⁺
Day International	Durafount	approved	
Day International	Majesta 460	approved	
Day International	Response 1560	approved	
Day International	Varn Elite Fount	approved	
Day International	Varn Elite Fount 250	approved	
Day International	Varn HSF 2218	approved	
Day International	Varn HSF 7262	approved	
Day International	Varn Hydro Fount	approved	
DC DruckChemie GmbH	Wassertop 104/Plus	approved	
DC DruckChemie GmbH	Wassertop 104/Plus „W“	approved	
DC DruckChemie GmbH	Wassertop 104/7.C	approved	
DC DruckChemie GmbH	Wassertop HS/2.1	approved	
DC DruckChemie GmbH	Wassertop HS/2.2	approved	
DC DruckChemie GmbH	Wassertop HS 2.46	approved	
DC DruckChemie GmbH	Wassertop HS 2.47	approved	
DC DruckChemie GmbH	Wassertop HS 2.48	approved	
DC Druckchemie GmbH	Wassertop HS 2.49	approved	
DS Druckerei Service GmbH	Acedin Heat 2000	approved	
DS Druckerei Service GmbH	Acedin Heat 2075	approved	
DS Druckerei Service GmbH	Acedin Web 1520	approved	
DS Druckerei Service GmbH	Acedin Web 1550	approved	
DS Druckerei Service GmbH	Acedin Web 1555 Q7	approved	
DS Druckerei Service GmbH	Acedin Heat 2083	approved	
DS Druckerei Service GmbH	Acedin Heat 2085	approved	
DS Druckerei Service GmbH	Acedin Heat 2070	approved	
DS Druckerei Service GmbH	Acedin Heat 5000	approved	
DS Druckerei Service GmbH	Acedin Heat 6100	approved	
DS Druckerei Service GmbH	Acedin Heat 6100 H	approved	
DS Druckerei Service GmbH	Acedin Heat 6200	approved	
DS Druckerei Service GmbH	Acedin Sprint 405 X	approved	
DS Druckerei Service GmbH	Eurowet 2000	approved	
DS Druckerei Service GmbH	Newsfount 1520	approved	
DS Druckerei Service GmbH	Newsfount 1550	approved	
ECS Nottingham Ltd.	Elite Jet-Star	approved	
Eggen GmbH & Co. KG	Alcolan Web 2008.3	approved	
Eggen GmbH & Co. KG	Alcolan Web	approved	
Eggen GmbH & Co. KG	Alcolan Web V78.66	approved	
Eggen GmbH & Co. KG	Alcolan Web V78.66/75	approved	
Eggen GmbH & Co. KG	Oxilan WEB-LR	approved	
Eggen GmbH & Co. KG	Oxilan WEB-LR V87.48	approved	
Eggen GmbH & Co. KG	Alcolan Web V 78.65	approved	
Felix Böttcher GmbH & Co. KG	BöttcherFount H-2003	approved	
Flint-Schmidt	Arrowchem FS 2060	approved	
Flint-Schmidt	Arrowchem H/S 2069	approved	
Flint Group	FS 2072 Fount	approved	
Flint Group	Varn HSF 9144	approved	
Flint Group Germany GmbH	Hydroweb AFS 610 Var. A	approved	

Released Fountain Solutions

manroland AG – Commercial Presses

17 Feb 2010

Flint Group Germany GmbH	Hydroweb AFS 610 Var. B	approved	
Flint Group Germany GmbH	Hydroweb AFS 610 Var. C	approved	
Fujifilm Europe NV	Acedin Web 1550 L	approved	
Fuji Hunt Pressroom Chemicals	Daily Fount CS 3122 Q7	approved	
Fuji Hunt Pressroom Chemicals	Daily Fount Soft CS 2126	approved	
Fuji Hunt Pressroom Chemicals	DicoFount HS 2350	approved	
Fuji Hunt Pressroom Chemicals	Free Fount HS 1205	approved	
Fuji Hunt Pressroom Chemicals	Free Fount HS 1210	approved	
Fuji Hunt Pressroom Chemicals	Free Fount HS 1218	approved	
Fuji Hunt Pressroom Chemicals	Free Fount HS 1220	approved	
Fuji Hunt Pressroom Chemicals	Free Fount HS 1221	approved	
Fuji Hunt Pressroom Chemicals	Free Fount HS 1227	approved	
Fuji Hunt Pressroom Chemicals	Free Fount HS 1230	approved	
Fuji Hunt Pressroom Chemicals	Free Fount HS 1232	approved	
Fuji Hunt Pressroom Chemicals	Free Fount HS 1281	approved	
Fuji Hunt Pressroom Chemicals	Rotafount HS 1102	approved	
Fuji Hunt Pressroom Chemicals	Rotafount HS 1103	approved	
Fuji Hunt Pressroom Chemicals	20359 Free Fount C1	approved	
Guardian Chemicals Inc.	Paragon 517	approved	
Guardian Chemicals Inc.	Varyx 517	approved	
Hartmann Druckfarben GmbH	Aquastabil H 6565/4	approved	
Hartmann Druckfarben GmbH/SunChemical	Sunfount 810	approved	
Hartmann Druckfarben GmbH/Sun Aqua Systems Europe	SunFount 7049 (H6077)	approved	
Hausleiter Druckhilfsmittel GmbH & Co. KG	Hacodamp 756	approved	
Hausleiter Druckhilfsmittel GmbH & Co. KG	Hacodamp 748	approved	
Heidelberg Canada	Saphira FS-1020 a	approved	
Hydro Dynamic Products Ltd.	Totalrespect Appro	approved	
Hydro-Dynamic Products Ltd.	Total Respect HMK Newsfount	approved	
Hydro-Dynamic Products PLC	Alcoplus F	approved	
Hydro-Dynamic Products PLC	Alcoplus HMK	approved	
hubergroup	Hydrofix N 10 V 9100 09	approved	
hubergroup	Redufix AF 02VP 1891 09	approved	
hubergroup	Redufix AF 02VP 1891 19	approved	
hubergroup	Redufix AF 02VP 1891 29	approved	
hubergroup	Redufix AF 8400	approved	
hubergroup	Redufix AF 8400 09	approved	
hubergroup	Redufix AF 8400 19	approved	
hubergroup	Redufix AF 8450 09	approved	
hubergroup	Redufix AF 8450 19	approved	
hubergroup	Redufix AF 8450 29	approved	
hubergroup	Redufix-R 10V 8325.29	approved	
hubergroup	Redufix R 8420 09	approved	
hubergroup	Redufix R 8420 19	approved	
hubergroup	Redufix R 8420 29	approved	
hubergroup	Redufix RP 8425 09	approved	
hubergroup	Redufix RP 8425 19	approved	
hubergroup	Redufix RP 8425 29	approved	

Gebrauch, Nachdruck und Vervielfältigung dieser Zeichnung/dieses Schriftstückes nur mit Genehmigung von manroland gestattet.
No part of this drwg./document may be used, reproduced or duplicated without prior permission of manroland

Released Fountain Solutions manroland AG – Commercial Presses

17 Feb 2010

hubergroup	Hydrofix-XS 8198 09	approved	
hubergroup	Hydrofix-XS 8198 19	approved	
hubergroup	Hydrofix-XS 8198 29	approved	
hubergroup	Hydrofix-XS 8198 79	approved	
IMAF S.p.A.	Graph Fount 6000	approved	
IMAF S.p.A.	Rotoplus 7000	approved	
Openshaw Group	Spectrum Fount 3220	approved	
Pressmax	Fountmax Red 20.21 AF	approved	
Pressroom Solutions Inc.	Platinum Plus 1679	approved	
manroland AG Business Unit printcom/ Geschäftsfeld printcom	printcom fount H 401Q	approved	
manroland AG Business Unit printcom/ Geschäftsfeld printcom	printcom fount H 402D	approved	
manroland AG Business Unit printcom/ Geschäftsfeld printcom	printcom fount H 501Q	approved	
manroland AG Business Unit printcom/ Geschäftsfeld printcom	printcom fount H 502Q	approved	
manroland AG Business Unit printcom/ Geschäftsfeld printcom	printcom fount H 503Q	approved	
manroland AG Business Unit printcom/ Geschäftsfeld printcom	printcom fount H 504D	approved	
manroland AG Business Unit printcom/ Geschäftsfeld printcom	printcom fount H 505D	approved	
manroland AG Business Unit printcom/ Geschäftsfeld printcom	printcom fount H 506D	approved	
manroland AG Business Unit printcom/ Geschäftsfeld printcom	printcom fount H 507D	approved	
manroland AG Business Unit printcom/ Geschäftsfeld printcom	printcom fount H 508D	approved	
manroland AG Business Unit printcom/ Geschäftsfeld printcom	printcom fount H 509X	approved	
manroland AG Business Unit printcom/ Geschäftsfeld printcom	printcom fount H 510X	approved	
manroland AG Business Unit printcom/ Geschäftsfeld printcom	printcom fount H 511X	approved	
manroland AG Business Unit printcom/ Geschäftsfeld printcom	printcom fount H 512B	approved	
manroland AG Business Unit printcom/ Geschäftsfeld printcom	printcom fount H 513X	approved	
manroland AG Business Unit printcom/ Geschäftsfeld printcom	printcom fount H 514Q	approved	
manroland AG Business Unit printcom/	printcom fount H 516X	approved	

Gebrauch, Nachdruck und Vervielfältigung dieser Zeichnung/dieses Schriftstückes nur mit Genehmigung von manroland gestattet.
No part of this drwg./document may be used, reproduced or duplicated without prior permission of manroland

Released Fountain Solutions

manroland AG – Commercial Presses

17 Feb 2010

Geschäftsfeld printcom			
manroland AG Business Unit printcom/ Geschäftsfeld printcom	printcom fount C 709X	approved	
manroland AG Business Unit printcom/ Geschäftsfeld printcom	printcom fount MR 601X	approved	
manroland AG Business Unit printcom/ Geschäftsfeld printcom	printcom fount MR 602X	approved	
manroland AG Business Unit printcom/ Geschäftsfeld printcom	printcom fount MR 603X	approved	
MGF a division of MecGraf S.r.l.	HMR-23	approved	
MGF s.r.l.	HMR-26	approved	
MGF S. r. l.	Techno Fount	approved	
PCO Europe B. V.	Dyna Col AC 320	approved	
PCO Europe B. V.	Dyna Col AC 320 H	approved	
PCO Europe B. V.	Dyna Col AC 320 S	approved	
PCO Europe B. V.	WinSprint 2020C	approved	
PCO Europe B. V.	WinSprint 2020-C H	approved	
PCO Europe B. V.	WinSprint 2020-C S	approved	
Planatol Adhesive GmbH	Planatolith HS-IR	approved	
Planatol Adhesive GmbH	Planatolith HS-IR-SM	approved	
Printer's Service (Prisco)	Webfount 115 E	approved	
Printer's Service (Prisco)	Webfount 225 E	approved	
Printer's Service (Prisco)	Webfount 230 E	approved	
Pressroom Solutions Inc.	Platinum Plus 1678	approved	
Rycoline Products Inc.	International Series 588 Fountain Solution	approved	
Samor Italia S.r.l.	Fount Web 200	approved	
Schwegmann, Bernd	Schwego Soft 2000	approved	
Schwegmann, Bernd	Schwego Soft 2200	approved	
Schwegmann, Bernd	Schwego Soft 2201	approved	
Schwegmann, Bernd	Schwego Soft 3000 AYB	approved	
Schwegmann, Bernd	Schwego Soft 3000 AYH	approved	
Schwegmann, Bernd	Schwego Soft 3000 AYN	approved	
Schwegmann, Bernd	Schwego Soft 3000 AYW	approved	
Siegwerk Druckfarben AG	Equile 50-060721-3	approved	
Siegwerk Druckfarben AG	Equile Solo 50-060720-5	approved	
Siegwerk Druckfarben AG	Equile Solo 50-060722-1	approved	
Siegwerk Druckfarben AG	Equile Solo 50-060724-7	approved	
Siegwerk Druckfarben AG	Equile Solo 50-060726-2	approved	
Siegwerk Druckfarben AG	Equile Solo 50-060729-6	approved	
Solco Offsetproducts	Dampstar 1.5	approved	
Solco Offsetproducts	Dampstar 1.53 Soft	approved	
Solco Offsetproducts	Dampstar 1.6 Q7	approved	
Solco Offsetproducts	Dampstar 2.4 Ci	approved	
Solco Offsetproducts	Dampstar 2.9	approved	
Solco Offsetproducts	Dampstar 7.9	approved	
Solco Offsetproducts	Dampstar 7.11	approved	
Solco Offsetproducts	Dampstar 7.21	approved	
Solco Offsetproducts	Dampstar 7.51	approved	
Solco Offsetproducts	Dampstar 7.55	approved	
Solco Offsetproducts	Dampstar 7.6	approved	

Gebrauch, Nachdruck und Vervielfältigung dieser Zeichnung/dieses Schriftstückes nur mit Genehmigung von manroland gestattet.
No part of this drwg./document may be used, reproduced or duplicated without prior permission of manroland

Released Fountain Solutions manroland AG – Commercial Presses

17 Feb 2010

Solco Offsetproducts	Dampstar 7.75	approved	
Solco Offsetproducts	Dampstar 7.81	approved	
Solco Offsetproducts	Dampstar 7.82	approved	
Solco Offsetproducts	Dampstar 7.83	approved	
Solco Offsetproducts	Dampstar DP 04/771	approved	
Spielberger	Alco down Rollenoffset IPA-reduziert R23	approved	
Spielberger	Alco down Rollenoffset IPA-reduziert R23 S	approved	
Spielberger	Alco down Rollenoffset IPA-frei R45	approved	
Spielberger	Alco down Rollenoffset IPA-frei R45 S	approved	
Spielberger	Alco down Rollenoffset IPA-frei R46	approved	
Spielberger	Alco down Rollenoffset IPA-frei R46 S	approved	
Spielberger	Alco down Rollenoffset IPA-frei R47	approved	
Spielberger	Alco down Rollenoffset IPA-frei R47 S	approved	
Spielberger	Alco down Rollenoffset IPA-frei R48	approved	
Spielberger	Alco down Rollenoffset IPA-frei R48 S	approved	
Spielberger	Alco down Superdot R60	approved	
Spielberger	Alco down Superdot R60 S	approved	
Sun Aqua Systems Europe	Sunfount H 6565	approved	
Sun Chemical	Sunfount 430	approved	
SunChemical Eurolab	SunFount 6000	approved	
Sun Chemical Inc.	Sunfount 6339	approved	
Sun Chemical Inc.	Sunfount 6339 VE	approved	
Sun Chemical	SunFount Classic HV	approved	
Sun Chemical	SunFount Universal HV	approved	
TechNova Imaging Systems (P), Ltd.	Nectar HMK	approved	
TechNova Imaging Systems (P), Ltd.	TotalCare HMK	approved	
TechNova Imaging Systems (P), Ltd.	TotalRespect HMK	approved	
Tewtrell Ltd. Graphic House	Concept Fount	approved	
Tewtrell Ltd. Graphic House	Prema Fount	approved	
TPE Corporation (Hong Kong) Ltd	Winstar HF 2.0	approved	
TPE Corporation (Hong Kong) Ltd	Winstar HF 2.9	approved	
Ultrachem Ltd.	PrimaFount AF 2	approved	
Ultrachem Ltd.	Spectrum 2270	approved	
Varn Products GmbH	AF Super Speed Fount	approved	
Vegra GmbH	Alco Damp Rot 3232/868 Zi dH N	approved	
Vegra GmbH	Alco Damp Rot 3232/869 Zi dH N	approved	
Vegra GmbH	Alco Damp Rot 3232/870 Zi dH N	approved	
Vegra GmbH	Alco Damp Rot 3232/877 Zi dH N	approved	

Released Fountain Solutions
manroland AG – Commercial Presses**17 Feb 2010**

Vegra GmbH	Alco Damp Rot 3232/881 Zi dH N	approved	
VEGRA GmbH	Easyrot 3000 Zi (E-941)	approved	
Vegra GmbH	Superkonzentrat Rot E- 850/867 Zi	approved	
WebXtras	WebFount 2213	approved	